After Your Surgery

Eustachian Tube Balloon Dilation

CAPITAL ENT & SINUS CENTER

What to Expect

- Some nasal congestion and soreness.
- Increased ear fullness at first, due to swelling from the procedure.
- Some patients have a mild nosebleed on the first day, or mild nausea or dizziness that should resolve quickly.
- Most patients reach the maximum benefit 4 to 6 weeks after the procedure.

What to Do

- Use nasal saline spray, 2 sprays in each nostril every 2 to 3 hours while awake (5 or 6 times a day), until your follow-up visit.
- You may use Afrin nasal spray as needed for bleeding and nasal congestion for 3 to 5 days after the procedure. Stop Afrin after 3 to 5 days.
- Keep your head elevated while sleeping for 72 hours. Sleep with an extra pillow or two.
- Tylenol 1,000 mg every 6 hours (max 4,000 mg a day; 3,000 mg if the package says so or with liver disease) and ibuprofen 400 mg every 8 hours with food, unless your surgeon said not to or you have an ulcer or kidney disease.
- You may continue topical nasal steroids (such as Flonase) if you were already using them.

What Not to Do

- After sedation or general anesthesia: for 24 hours, no driving, alcohol or important decisions; after general anesthesia, we recommend an adult stay with you the first night.
- Avoid blowing your nose for the first week. Do not pop your ears for the first week unless your surgeon tells you otherwise.
- Avoid heavy lifting (over about 10 lb) and strenuous exercise (anything that makes you breathe hard, strain or sweat) for 1 week.
- No flying until 1 week after the procedure.

When to Call or See the Doctor

- Sudden weakness or drooping of the face, trouble speaking, a sudden change in vision, or a sudden, severe headache: call 911 or go to the nearest emergency room.
- Temperature of 101° F+ for over 24 hours or starting 3+ days after the procedure, or 102° F+ at any time (check before the next Tylenol or ibuprofen dose).
- Worsening, severe nasal or ear pain.
- Persistent nausea and dizziness.
- New swelling of the face, eyelids or neck, or a crackling feeling under the skin.
- Bleeding from the nose that does not stop, or any bleeding that worries you: call us for guidance. Severe bleeding you cannot control, or bleeding with lightheadedness or fainting: call 911 or go to the nearest emergency room.

Questions or concerns? Call the office that scheduled your surgery. After hours, call our main number, 512-339-4040, to reach the on-call physician. For a life-threatening emergency, call 911.

Austin 512-339-4040 **Lakeway** 512-682-4798 **Marble Falls** 830-992-2830

Dripping Springs 512-339-4040

Scan for the full guide